

SUNSHINE RISING WORLDWIDE LIMITED is a featured supplier of telecom installation materials.



www.sunshinerising.com



SUNSHINE RISING WORLDWIDE LIMITED is a featured supplier of telecom installation materials.

Our successive expansion of international business owes to the high quality of products we supplied, competitive price we offered, good reputation we built, timely market information we shared with our customers.

At SUNSHINE RISING, we measure our success by your success. That's been our guiding philosophy since day one.

SUNSHINE RISING Global Footprprint: With customers based out of Europe, and with shippings to Latin America (Brasil, Argentina), Europe and Asia (India, Singapore, Hong Kong and Malaysia) and supporting our customers operations in Northern Africa, we are proud to say SUNSHINE RISING WORLDWIDE LIMITED is a Global Player.



sunshinerising.com



# Index

Air Condition	04
Containers & Separation	05
Generators	08
Grounding Materials	11
Isolation Materials	16
Lock	18
Mobile BTS & Treyler	20
Mounting Materials	22
PCM Cables & DDF	55
Power Cables	58
Sensors	65
Solar Panel	66
Telecom Towers	67
Voltage Regulator	73
Warning Lamp	74
Wire Fence	75






## Air Condition



#### **Air Conditioner**

Product Code: SNS-A C0001/00

Air Conditioner



### Freecooling FCS-03

Product Code: SNS-AC00002/00

Freecooling FCS-03 (48V or 24V)



# Containers & Seperation



#### Container 3x2

Product Code: SNS-CS0001/00

3x2m container (Air conditioner outdoor unit protection cage not included)



### Separation 3x2

Product Code: SNS-CS0002/00

3x2m separation (0.8mm alluminium panel)



# Containers & Seperation



#### Container 5x2m

Product Code: SNS-CS00003/00

5x2m container (Air conditioner outdoor unit protection cage not included)



#### Decorative Container 2x2m

Product Code: SNS-CS00004/00

2x2m decorative container




# Containers & Seperation



#### Container 3x2 for Generator

Product Code: SNS-CS00005/00

3x2m Container for generator installation




### Underground type container 2x2m

Product Code: SNS-CS00006/00

Underground type container 2x2m




### Generators



#### **Diesel Tank Set**

Product Code: SNS-GN0001/00

Diesel tank set for fuel backup



# Generator & control panel CJ 15PC (CUKUROVA)

Product Code: SNS-GN0002/00

Generator & control panel CJ 15PC(CUKUROVA)



### Generators



#### Generator, Genpower GPR15

Product Code: SNS-GN00003/00

Generator, Genpower GPR15 (With outdoor cover, Perkins motor, 1500 rpm, 50Hz, Three Phase, Automatic panel)



# Generator, Genpower 22KVA, GPR22

Product Code: SNS-GN00004/00

Generator, Genpower 22KVA, GPR22, (With outdoor cover, Inter motor, 1500 rpm, 50Hz, Three Phase, Automatic transfer panel)



### Generators



#### Generator, AKSA, ALP15

Product Code: SNS-GN00005/00

Generator, AKSA, ALP15, (With outdoor cover, Lister Petter motor, 1500 rpm, 50Hz, Three Phase, Automatic transfer panel)



#### Generator, AKSA, ALP22

Product Code: SNS-GN00006/00

Generator, AKSA, ALP22, (With outdoor cover, Lister Petter motor, 1500 rpm, 50Hz, Three Phase, Automatic transfer panel)





### **Grounding rod**

Product Code: SNS-GR0001/00

Grounding rod




### Grounding Gem powder

Product Code: SNS-GR0002/00

Grounding improvement, checmical material





### Indoor grounding bar

Product Code: SNS-GR0003/00

Indoor type of grounding bar



### Galvanized grounding strip

Product Code: SNS-GR0004/00

Grounding strip 30x3mm





### Pipe connection clamp

Product Code: SNS-GR0005/00

Pipe connection clamp for 30x3mm strip




### Wall type of connection clamp

Product Code: SNS-GR0006/00

Wall type of connection clamp for 30x3mm strip





### Connection part between 2pc

Product Code: SNS-GR0007/00

Connection part between 2pc 30x3mm strips



### Grounding rod connection

Product Code: SNS-GR0008/00

Grounding rod connection for 30x3mm





### **Lightning Arm-connection clamp**

Product Code: SNS-GR0009/00

Lightning rod connection clamp



### Isolation Material



#### Silicon Tube white

Product Code: SNS-IS0001/00

Silicon tube, white



#### Silicon Tube black

Product Code: SNS-IS0002/00

Silicon tube, black



## Isolation Material



#### Foam

Product Code: SNS-IS0003/00

Foam



### Lock



### YM-B83 (68 mm Barel)

Product Code: SNS-LC00001/00

68mm lock



### YM-B83 (83 mm Barel)

Product Code: SNS-LC00002/00

68mm lock



### Lock



### YM-2060 60mm Padlock

Product Code: SNS-LC00003/00

60mm padlock




### Mobile BTS



### 2x2m Treyler

Product Code: SNS-MB00001/00

Treyler with app 2x2 container



### Mobile BTS (Ford)

Product Code: SNS-MB00002/00

Mobile BTS (Ford)



## Mobile BTS



### Mobile BTS (Mercedes)

Product Code: SNS-MB00003/00

Mobile BTS (Mercedes)





### Galvanized Pipe Bottom

Product Code: SNS-MM0001/00

L=2m galvanized pipe ( $\emptyset$ =76mm, thickness 5.2mm) with Flansh for antenna connection, bottom



### Galvanized Pipe Middle

Product Code: SNS-MM0002/00

L=2m galvanized pipe ( $\emptyset$ =76mm, thickness 5.2mm) for antenna connection, middle part





### **Galvanized Pipe Top**

Product Code: SNS-MM0003/00

L=2m galvanized pipe ( $\emptyset$ =76mm, thickness 5.2mm) for antenna connection, top part



#### **Galvanized Pipe Connection Part**

Product Code: SNS-MM0004/00

Connection part between bottom and middle part or middle and top part





### **ML** Mounting Kit

Product Code: SNS-MM0005/00

Mounting Kit for MW ø=1.2m antenna to tower



### Off-set Clamp 15 cm

Product Code: SNS-MM0006/00

Off-set Clamp 15 cm





### Off-set Clamp 30 cm

Product Code: SNS-MM0007/00

Off-set Clamp 30 cm




### Off-set Clamp 50 cm

Product Code: SNS-MM0008/00

Off-set Clamp 50 cm





### Off-set Clamp 100 cm

Product Code: SNS-MM0009/00

Off-set Clamp 100 cm



### Off-set Clamp Counterpart

Product Code: SNS-MM0010/00

Off-set Clamp Counterpart





### Galvanized Square Profile with Flansh (4m)

Product Code: SNS-MM0011/00

L=6m Galvanized Square Profile (50x50x3mm)



# Galvanized Square Profile with Flansh

Product Code: SNS-MM0012/00

L=4m Galvanized Square Profile (50x50x3mm)





#### MAX BPRT 4.3mt

Product Code: SNS-MM0013/00

H=4.3m BPRT type Rooftop pole (including; 12pc 16mm/20cm bolt set)



#### **MAX BPRT 6mt**

Product Code: SNS-MM0014/00

H=6m BPRT type rooftop pole (including; 12pc 16mm/20cm bolt set)






#### **MAX BPRT 8mt**

Product Code: SNS-MM0015/00

H=8m BPRT type rooftop pole (including; 12pc 16mm/20cm bolt set)




#### **MAX NPRT 6mt**

Product Code: SNS-MM0016/00

H=6m NPRT type pole for to 3X2 container





### Aluminium Pipe 4m

Product Code: SNS-MM0017/00

L=4m aluminium pipe



### Metallic type of pipe

Product Code: SNS-MM0018/00

Metallic type of spiral pipe for DC cable or fiber cable protection





### Spiral plastic pipe

Product Code: SNS-MM0019/00

Plastic type of spiral pipe for DC cable or fiber cable protection



# Clamp for DC/Fiber cable wall/hook type

Product Code: SNS-MM0020/00

Clamp for plastic or metallic type of spiral pipe for fiber & DC cable





### Clamp with stay wire

Product Code: SNS-MM0021/00

Clamp with stay wire connection part



#### Allen Bolt

Product Code: SNS-MM0022/00

Allen type of bolt





### Plate for U type of bolt

Product Code: SNS-MM0023/00

Plate for U type of bolt connection and pipe connection



### Cable Tray

Product Code: SNS-MM0024/00

Plastic cable tray (Indoor Canalet (2metrelik 25\*20mm)






#### Cable Tie-black plastic

Product Code: SNS-MM0025/00

Plastic cable tie, black (3.6x250)



#### Cable Tie-white

Product Code: SNS-MM0026/00

Plastic cable tie, white (3.6x250)





#### Metal cable tie

Product Code: SNS-MM0027/00

Metal cable tie, plastic coated 4,8x300mm



#### Cable Lead in

Product Code: SNS-MM0028/00

Wall entry and isolation material for cables and feeders





#### Threaded Bar 8mm (Tij)

Product Code: SNS-MM0029/00

L=1m, 8mm threaded bar



#### Threaded Bar 10 mm (Tij)

Product Code: SNS-MM0030/00

L=1m, 10mm threaded bar





### 8 mm Steel Plug

Product Code: SNS-MM0031/00

8mm Steel Plug



#### 16 mm Steel Plug

Product Code: SNS-MM0032/00

16mm Steel Plug





### Stay Wire 10 mm (Lente Teli)

Product Code: SNS-MM0033/00

Stay wire 10mm




#### Stay wire tightening part

Product Code: SNS-MM0034/00

Stay wire tightening part





#### Wire Fixer

Product Code: SNS-MM0035/00

Wire fixer



#### Bolt 10 mm

Product Code: SNS-MM0026/00

Bolt 10 mm





#### Bolt 16 mm

Product Code: SNS-MM0037/00

Bolt 16 mm



### Nut 10 mm

Product Code: SNS-MM0038/00

Nut 10 mm






#### Nut 16 mm

Product Code: SNS-MM0039/00

Nut 16 mm




#### Washer 12 mm

Product Code: SNS-MM0040/00

Washer 12 mm






#### Washer 18 mm

Product Code: SNS-MM0041/00

Washer 18 mm



### Washer 10 mm

Product Code: SNS-MM0042/00

Washer 10 mm





### **DUBEL** (trifon screw)

Product Code: SNS-MM0043/00

Trifon screw



#### **Trifon Screw**

Product Code: SNS-MM0044/00

Trifon screw





### 12 mm Steel Plug

Product Code: SNS-MM0045/00

12mm steel plug




### Alluminium pipe 2mt

Product Code: SNS-MM0046/00

L=2m aluminium pipe





#### U-Bolt 10mm

Product Code: SNS-MM0047/00

U-Bolt 10mm for pipe connection



### **Outdoor Earthing Bar**

Product Code: SNS-MM0048/00

Outdoor type of grounding bar





#### Tower connection kit for ASC

Product Code: SNS-MM0049/00

Tower connection kit for ASC



#### Pole connection kit for ASC

Product Code: SNS-MM0050/00

Pole connection kit for ASC





#### Wall connection kit for RRU

Product Code: SNS-MM0051/00

Wall connection kit for RRU



#### Pole connection kit for RRU

Product Code: SNS-MM0052/00

Pole connection kit for RRU





### 6m PRT rooftop pole

Product Code: SNS-MM0053/00

6m PRT type of rooftop pole



### 3m PRT rooftop pole

Product Code: SNS-MM0054/00

3m PRT type of rooftop pole





### Steel plug for PRT

Product Code: SNS-MM0055/00

Steel plug for PRT pole



### Chemical plug for PRT

Product Code: SNS-MM0056/00

Chemical plug for PRT pole





#### **Threaded Bar Plate**

Product Code: SNS-MM0057/00

**Threaded Bar Plate** 




### Threaded Bar 16mm (Tij)

Product Code: SNS-MM0058/00

Threaded Bar 16mm






#### Indoor installation rack set

Product Code: SNS-MM0059/00

Indoor installation rack set



#### **Outdoor installation Rack set**

Product Code: SNS-MM0060/00

Outdoor installation Rack set





### Air conditioner outdoor unit protection cage

Product Code: SNS-MM0061/00

Air conditioner outdoor unit protection cage



#### Roof Kit for MW installation

Product Code: SNS-MM0062/00

Roof Kit for MW installation





### **Feeder Marking**

Product Code: SNS-MM0063/00

Feeder Marking



### 10mm clamp for cables (3 pieces)

Product Code: SNS-MM0064/00

MW cable connection clamp





### Feeder clamp for 1/2" feeder (3 pieces)

Product Code: SNS-MM0065/00

Feeder clamp for 1/2" cable



# Feeder clamp for 7/8" feeder (3 pieces)

Product Code: SNS-MM0066/00

Feeder clamp for 7/8" cable



# PCM Cables & DDF



### **PCM Cabling**

Product Code: SNS-PC0001/00

2Mbit/s connection cable 1X2 (120 ohm)



#### **DDF Module - left**

Product Code: SNS-PC0002/00

DDF module, left side cover




# PCM Cables & DDF



### **DDF Module - right**

Product Code: SNS-PC0003/00

DDF module, right side cover



#### CAT 5 cable

Product Code: SNS-PC0004/00

CAT 5 kabel (CAT5 S - F UTP PATCH)



# PCM Cables & DDF



#### **RJ 45 connector**

Product Code: SNS-PC0005/00

RJ 45 connector





### Power cabling (3x2.5)

Product Code: SNS-PW0001/00

Power cable H05VV-F 3G2.5mm<sup>2</sup>



### Powerbox (2G-3G)

Product Code: SNS-PW0002/00

Power box for 3 phase distribution inside system room





### Alpek type of cable 1

Product Code: SNS-PW0003/00

3x16+25 (aluminium)



### Alpek type of cable 2

Product Code: SNS-PW0004/00

3x25+35 Alpek type of cable (aluminium)





#### Makara Isolator set

Product Code: SNS-PW0005/00

Makara Izolator set



### Power cabling (4x10 NYY)

Product Code: SNS-PW0006/00

Power cabling (4x10 NYY)





### Power cabling (4x6 NYY)

Product Code: SNS-PW0007/00

Power cabling (4x6 NYY)



### Power cabling (4x16 NYY)

Product Code: SNS-PW0008/00

Power cabling (4x16 NYY)





### Power cabling (4x10)

Product Code: SNS-PW0009/00

Power cabling (4x10) underground type of cable



#### Power cabling (4x6)

Product Code: SNS-PW0010/00

Power cabling (4x6 NYY) underground type of cable





### Power cabling (4x16)

Product Code: SNS-PW0011/00

Power cabling (4x16 NYY) underground type of



### Earthing Cable 10 mm<sup>2</sup> NYAF

Product Code: SNS-PW0012/00

Grounding Cable 10 mm<sup>2</sup> NYAF





### Earthing Cable, 35 mm<sup>2</sup> NYAF

Product Code: SNS-PW0013/00

Grounding Cable 35 mm<sup>2</sup> NYAF



# Sensors



#### **Sensors**

Product Code: SNS-SS0001/00

External alarm sensor (Door, air condition,high temperature)



# Solar Panel



#### Solar Panel 2300W

Product Code: SNS-SP000001/00

Solar panel 2300 W, 10pc 230W panel, energy control unit



#### Solar Panel 12690W

Product Code: SNS-SP000002/00

Solar panel 12690 W, 54pc 235W panel, Energy kontrol unit-Hybrid Output 15KVA 220V AC





12m, AS2, Tower

Product Code: SNS-TW0001/00

12m 3 leg type of tower, foundation on ground



#### 18m, AS2 Tower

Product Code: SNS-TW0002/00

12m 3 leg type of tower, foundation on ground





### 21m, AS2Tower

Product Code: SNS-TW00003/00

12m 3 leg type of tower, foundation on ground, design wind speed 160km/h, operation wind speed 112km/h and sway and twist 0.5 degree for 3 GSM (2.6x0.3 m) antenna at the top & 1MW1.2m at 2/3 height of tower



#### 30m, 160km/h lattice tower

Product Code: SNS-TW00004/00

30m, 160km/h lattice tower, 30m (without a triangular platform at top) Total design effected antenna area for this type is 3.5m2 and antenna feeders along the tower





#### 40m, 160km/h lattice tower

Product Code: SNS-TW00005/00

40m, 160km/h lattice tower, (without a triangular platform at top). Total design effected antenna for this type is 5m2 distributed at top 5m.



#### 50m, 160km/h lattice tower

Product Code: SNS-TW00006/00

50m, 160km/h lattice tower, 50m (without a triangular platform at top). Total design effected antenna area for this type is 3.5m2.





#### 80m, 160km/h lattice tower

Product Code: SNS-TW00007/00

80m, 160km/h lattice tower, (without a triangular platform at top). Total design effected antenna area for this type is 3.5m2



#### 18m Monopole Tower, 160km/h

Product Code: SNS-TW00008/00

18m Monopole Tower, 160km/h 1° deflection at top for operational wind speed, 3.5m<sup>2</sup> antenna load at top





### 24m Monopole Tower, 160km/h

Product Code: SNS-TW00009/00

24m Monopole Tower, 160km/h 1° deflection at top for operational wind speed, 3.5m<sup>2</sup> antenna load at top



#### 18m Palm Tower

Product Code: SNS-TW00010/00

18m Palmiye Tower, 160km/h 1° deflection at top for operational wind speed,  $3.5m^2$  antenna load at





### Tree type of Tower 18m

Product Code: SNS-TW00011/00

Tree type of tower 18m



# Voltage Regulator



#### SVR-10kva

Product Code: SNS-VR0001/00

Static voltage regulator 1 phase 10KVA



# Warning Lamp



### Flashing Red Lamp

Product Code: SNS-WL0001/00

Warning lamp for buildings or towers (lamp+with power cable 50m/per site)



# Wire Fence



### Welded type of panel

Product Code: SNS-WF00001/00

Welded type of panel, hot deep galvanized wire fence (42m set, 2pc x1.5m panel+ 9pc x2m panel+8pc x2.5m panel + door)